



**LIQUID ALUMINUM SULFATE
LOW IRON GRADE**

CHEMICAL PROPERTIES

<i>Component</i>	<i>Specification Limits</i>		
	<i>Min</i>	<i>Max.</i>	<i>Typical</i>
Al ₂ O ₃ (H ₂ O Sol.)	8.0%	8.5%	8.3%
Fe	-	0.01%	0.005%
Basicity as Free Al ₂ O ₃	0	0.4%	0.15%
Insoluble	-	0.1%	0.03%

**** THIS PRODUCT MAY BE MANUFACTURED TO MEET CUSTOMER'S SPECIFICATIONS.**

PHYSICAL PROPERTIES

Baume @ 60°F	36.2
Specific Gravity @ 60°F	1.33
Freezing Point (Approx.)	+ 9°F
Boiling Point (Approx.)	214°F
Weight Per Gallon	11.11
Pounds of Dry Alum Per Gallon	5.43
Dry 17% Alum	48.86%

QUALITY

This Product meets the specifications of American Water Works Association Standard B403-03 for the treatment of potable water systems and also certified by NSF as meeting Standard 60.

All information is offered in good faith, without guarantee or obligation for the accuracy or sufficiency thereof, or the results obtained, and is accepted at user's risk. The uses referred to are for the purpose of illustration only; user should investigate and establish the suitability of such use(s) in every case. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license under valid patents.

Rev. 04/04